

EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	11	(time adj3 series) with trigger with register\$1	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/07/07 04:24
L5	12	compil\$4 with persistent with quer\$4	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/07/07 05:01
L6	2	compil\$4 with persistent with string	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/07/07 05:03
L7	59	compil\$4 with quer\$4 with string	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/07/07 05:04
L8	3	7 and (persistent with quer\$4)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/07/07 05:04
L9	2	7 and (time adj3 series)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/07/07 05:04
L10	0	compil\$4 with persistent with (time adj3 series)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/07/07 05:06
L11	1	(persistent adj3 quer \$4) with (event or condition) with payload	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/07/07 05:07
L12	1	(persistent adj3 quer \$4) with (event or condition) with output	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/07/07 05:07

L13	21	(persistent adj3 quer\$4) with (event or condition)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/07/07 05:08
L14	2	compil\$4 with (persistent adj3 quer\$4)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/07/07 05:09
L15	13	string with (persistent adj3 quer\$4)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/07/07 05:10
L16	0	input with (persistent adj3 quer\$4) with compil	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/07/07 05:10
L17	0	input with (persistent adj3 quer\$4) with compil\$4	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/07/07 05:11
L18	8	input with (persistent adj3 quer\$4)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/07/07 05:11
L19	58	compil\$4 with string with query	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/07/07 05:12
L20	1	19 and (persistent adj3 query)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/07/07 05:12
L21	1	19 and (persistent near3 query)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/07/07 05:12
L22	2	19 and (time adj3 series)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/07/07 05:12

L23	3	19 and (trigger)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/07/07 05:13
L24	25	transform\$4 with persistent with quer\$4	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/07/07 05:42
L25	0	24 and (time adj3 series)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/07/07 05:42
L26	18	convert\$4 with persistent with quer\$4	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/07/07 05:42
L27	1	convert\$4 with persistent with quer\$4 with string	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/07/07 05:42
L28	0	convert\$4 with persistent with quer\$4 with string	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/07/07 05:43
L29	1	convert\$4 with persistent with quer\$4 with string	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/07/07 05:43
L30	11	query with persistent with quer\$4 with compil \$4	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/07/07 05:45
L31	0	string with persistent with quer\$4 with extract\$4	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/07/07 05:48
L32	3	time with persistent with quer\$4 with extract\$4	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/07/07 05:48

L33	0	series with persistent with quer\$4 with extract\$4	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/07/07 05:49
L34	15	query with persistent with quer\$4 with extract\$4	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/07/07 05:49
L36	132	query\$4 with (time adj3 series)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/07/07 06:05
L37	4	36 and (persistent adj3 quer\$4)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/07/07 06:06
L38	4	36 and (persistent near3 quer\$4)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/07/07 06:06
L39	4	36 and (compil\$4 near3 quer\$4)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/07/07 06:06
L40	0	(generat\$4 or creat\$4) with (persistent adj3 quer\$4) with input	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/07/07 07:12
L41	2	(generat\$4 or creat\$4) with (persistent adj3 quer\$4) with string	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/07/07 07:13
L42	1	(generat\$4 or creat\$4) with (persistent adj3 quer\$4) with term	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/07/07 07:13
L43	37	(generat\$4 or creat\$4) with (persistent adj3 quer\$4)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/07/07 07:14

L44	13	(generat\$4 or creat\$4) near3 (persistent adj3 quer\$4)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/07/07 07:14
L45	0	43 and (time adj3 series)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/07/07 07:14
L46	0	43 and (time near3 series)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/07/07 07:14
L47	8	(convert\$4) with (persistent adj3 quer \$4)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/07/07 07:15
L48	1	47 and (time near3 series)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/07/07 07:15
L49	27	(receiv\$4) with (persistent adj3 quer \$4)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/07/07 07:15
L50	1	48 and (time near3 series)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/07/07 07:15
L51	1	49 and (time near3 series)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/07/07 07:15
L52	2	(compil\$4) with (persistent adj3 quer \$4)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/07/07 07:16
L53	2	(populat\$4) with (persistent adj3 quer \$4)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/07/07 07:16

L54	1	(modify\$4) with (persistent adj3 quer \$4)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/07/07 07:17
L55	0	54 and (time near3 series)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/07/07 07:17
L56	27	(updat\$4) with (persistent adj3 quer \$4)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/07/07 07:17
L57	1	56 and (time near3 series)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/07/07 07:18
L58	8	(translat\$4) with (persistent adj3 quer \$4)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/07/07 07:18
L59	0	58 and (time near3 series)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/07/07 07:18
L60	8	(convert\$4) with (persistent adj3 quer \$4)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/07/07 07:19
L61	1	60 and (time near3 series)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/07/07 07:19
L62	0	compil\$4 with query with payload	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/07/07 07:21
L63	0	compil\$4 with query with event with condition	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/07/07 07:22

S1	191	(monitor\$4 near2 (time adj series))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/06/12 15:54
S2	4	S1 and (window\$1 near3 (time adj series))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/06/12 15:55
S3	14	S1 and (window\$1 with (time adj series))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/06/12 16:01
S4	2	S1 and (persistent near2 quer\$4)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/06/12 16:03
S5	11	S1 and (multiple near2 (time adj series))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/06/12 16:05
S6	10	S5 and window\$1	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/06/12 16:11
S7	109	window\$1 near2 (time adj series)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/06/12 16:13
S8	116	multiple adj (time adj series)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/06/15 11:27
S9	5	S8 and (data adj management)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/06/15 11:27
S10	9	S8 and quer\$4	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/06/15 11:28

S11	7	S10 and display	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/06/15 11:30
S12	271	multiple near3 (time adj series)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/06/15 11:30
S13	20	S12 and (geographical or weather)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/06/15 11:33
S14	16	S13 and display	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/06/15 11:33
S15	15	S14 and ((data near3 (calculate or comput \$4)) or statistic\$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/06/15 12:16
S16	7552	(time adj series) near2 data	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/06/15 12:17
S17	2	S16 and (persistent adj quer\$4)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/06/15 12:17
S18	59	S16 and (quer\$4 with (condition or limit\$4 or proper\$4))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/06/15 12:19
S19	15	S18 and (statistic\$1 with (computing or computation or comput \$2))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/06/15 12:21
S20	1	S19 and (display with window\$1)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/06/15 12:21

S21	11	S19 and display\$4	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/06/15 12:54
S22	3	weather adj broadcast \$4 adj system	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/06/15 12:55
S23	0	S22 and (time adj series)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/06/15 12:54
S24	185	weather adj broadcast \$4	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/06/15 12:55
S25	4	S24 and (time adj series)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/06/15 12:56
S26	313	geographical adj database	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/06/15 12:56
S27	4	S26 and (time adj series)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/06/15 12:57
S28	1663	weather with database	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/06/15 12:57
S29	36	S28 and (data with (time adj series))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/06/15 13:01
S30	29	S29 and display	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/06/15 13:01

S31	498	monitor\$4 near3 (time near2 series)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/12/03 11:16
S32	50	S31 and register\$1	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/12/03 11:17
S33	12	S31 and (stor\$4 with register\$1)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/12/03 11:21
S34	668795	"12" and windows	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/12/03 11:21
S35	4	S33 and windows	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/12/03 11:30
S36	1225	(time adj3 series) with (registers or (trigger adj3 registers))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/12/03 11:31
S37	14	S36 and ((time adj3 series) with windows)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/12/03 12:05
S38	239	persistent adj3 query	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/12/03 14:27
S39	5	S38 and (dynamic with window\$1)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/12/03 12:17
S40	3	S39 and (time near3 series)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/12/03 12:17

S41	13	S38 and (time adj3 series)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/12/03 12:26
S42	1	S38 and (trigger with register\$1)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/12/03 13:07
S43	0	S38 and (query with compilation)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/12/03 13:28
S44	7	S38 and (query with compilation)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/12/03 14:25
S45	2	"5519861".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/12/03 14:27
S46	19348	707/1-5.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/12/03 14:27
S47	78	S46 and (persistent adj3 query)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/12/03 14:27
S48	2	S46 and ((persistent adj3 query) same (time adj3 series))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/12/03 14:31
S49	2	S46 and ((persistent adj3 query) and (time adj3 series))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/12/03 14:32
S50	47	S47 and ((time near3 (series or information or data)))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/12/03 14:32

S51	7	S47 and ((persistent near2 query) same (time near3 (series or information or data)))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/12/03 14:33
S52	7	S47 and ((persistent near2 query) same (time near3 (series or information or data)))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/12/03 14:33
S53	2	"6654485".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/12/03 16:34
S54	2	"20040220921"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/12/08 12:09
S55	486	persistent near3 quer \$4	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/06/26 11:23
S56	15	S55 and (time adj3 series)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/06/26 11:25
S57	56	(time adj3 series) with (moving near3 window \$1)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/06/26 11:43
S58	1	S57 and (persistent near3 quer\$4)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/06/26 11:43
S59	1	(persistent near3 quer \$4) with event with payload	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/06/26 11:46
S60	14	(persistent near3 quer \$4) with (plural\$4 or multiple) with (data or information or event or payload)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/06/26 11:47

S61	3	S60 and (time near3 series)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/06/26 11:47
S62	2	"6199062".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/06/26 12:01
S63	30	(persistent near3 quer \$4) and (moving adj3 window\$1)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/06/26 12:03
S64	0	(persistent near3 quer \$4) with (moving adj3 window\$1)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/06/26 12:09
S65	18	(persistent adj3 quer \$4) and (moving adj3 window\$1)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/06/26 12:10
S66	1	S57 and (trigger with register\$1)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/06/26 13:02
S67	503	monitor\$4 near3 (time adj3 series)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/06/26 13:15
S68	2	S67 and (stor\$4 with (time adj3 series) with register\$1)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/06/26 13:16
S69	12	(convert\$4 or compil\$4 or transform\$4) with query with (persistent adj3 query)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/06/26 14:09
S70	6	query with string with time with series	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/06/26 14:11

S71	2	S67 and (persistent adj5 quer\$4)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/06/26 14:12
S72	261	persistent adj3 quer\$4	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/07/01 12:27
S73	14	S72 and (time adj3 series)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/07/01 12:28
S74	2	"20060080316"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/07/01 12:37
S75	262	persistent adj3 quer\$4	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/07/07 02:56
S76	2953352	(persistent adj3 quer \$4) convert\$4	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/07/07 02:57
S77	8	(persistent adj3 quer \$4) with convert\$4	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/07/07 02:57
S78	2	(persistent adj3 quer \$4) with compil\$4	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/07/07 02:58
S79	3	(persistent adj3 quer \$4) with transform\$4	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/07/07 02:59
S80	2	(persistent adj3 quer \$4) with compil\$4	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/07/07 03:00

S81	5	(persistent near3 quer\$4) with compil\$4	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/07/07 03:01
S82	3	"6505190".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/07/07 03:04
S83	12	compil\$4 with quer\$4 with persistent	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/07/07 03:05
S84	2	compil\$4 with string\$1 with persistent	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/07/07 03:06

7/7/2008 7:55:15 AM

C:\Documents and Settings\rmahmood\My Documents\EAST\Workspaces\10775744.wsp